



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GENERAL INDEX.

The more important classified entries will be found under the following heads: *Diseases, Floras, Host Plants, Journals, Necrology, Personals, Physiology, Preparations, Reviews.*

Names of synonyms are printed in *Italics*; names of new species, etc., in **bold face**.

A

- A. A. A. S., Brooklyn meeting, 362; papers before Botanical Club, 382; papers before Section G, 369; proceedings of Section G, 362.
- Abrus precatorius, 500.
- Absorption of water, 136.
- Abutilon Avicennae, 482, 489.
- Acacia, 502; Julibrissin, 292; Lophantha, 292.
- Acer, in Michigan, 370.
- Aconitum, noveboracense, 346; runcinatum, 346.
- Acrostichum, conforme, 389; latifolium, 389; recognitum, 389; venustum, 389.
- Adiantum, *peniadiactylon*, 389; trapaesiforme, 389.
- Æchmea **Friedrichsthallii**, 263.
- Ægiceras majus, 338.
- African plants, 473.
- Algae, 425, 426, 514; Minnesota, 246; preparations of, 210; sets of, 472; swarm spores of, 503.
- Alternation of generations, 510.
- Amaranthus, **acutifolius**, 320; **albo-marginatus**, 318; *albus*, 316; Berlandieri, 268; **Bigelovii**, 271; blitoides, 315, vars. **densifolius**, and **Reverchoni**, 315; Blitum, 317; **bracteosa**, 314; californicus, 318; carneus, 317; caudatus, 314; chihuahuensis, 271; *Chlorostachys*, 314; crassipes, 315; crispus, 319; deflexus, 319; emarginatus, 319; fimbriatus, 270; graecizans, 316, var. **pubescens**, 317; Greggii, 271, var. **Muelleri**, 272; hybridus, 314; *hypochondriacus*, 314; *leucospermus*, 314; lividus, 318; **obovatus**, 313; Palmeri, 272, var. **glomeratus**, 272; polygonoides, 269; Powellii, 313; Pringlei, 270; pumilus, 320; retroflexus, 313; **scleroides**, 316; spinosus, 315; squarrolusos, 270; synopsis of, 267; Torreyi, 272, var. **suffruticosus**, 272; urceolatus, 269, var. **Jonesii**, 269; *venulosus*, 270; viridis, 319; *viridis*, 319, 320; *Wrightii*, 313.
- Ambogyne*, **polygonoides**, 269; **squarrolusos**, 270; *urceolata*, 269.
- Amblystegium **Holzingeri**, 240.
- Amentiferae, embryology of, 299, 427.
- Anabaena, parasitic in Cycas, 25.
- Aemia, hirsuta, 390; *tenella*, 390.
- Anhalonium, 371.
- Anthericum **apodanthum**, 265.
- Anthocerotales, 358.
- Anthurus borealis, 471.
- Aphanorhegma serrata, 379.
- Archegoniates, a theory of strobilus, 476.
- Archeuema, 19.
- Archidium Hallii, var. **minus**, 237.
- Arcyria macrospora, 89.
- Ardisia **paschalis**, 5.
- Arisaema triphyllum, 464.
- Artemisia stelleriana, 253.
- Aschersonia tahitensis, 512.
- Aspergillus niger, 210.
- Aspidium, aculeatum, 390; Boottii, 492; **cristatum** × **marginale**, 494, 497; *marginale*, 200; melanostictum, 390; noveboracense, 496; setosum, 390; **simulatum**, 495, 497; spinulosum, 390; Thelypteris, 496.
- Asplenium, cicutarium, var. **paleaceum**, 390; ebenoides, 492; hastatum, 390; pumilum, var. **laciniatum**, 390; rhizophyllum, var. **proliferum**, 390; **rubinum**, 391; Shepherdii, 391; Trichomanes, 391.
- Assyrian monuments, plants of, 82.
- Aster, adnatus, 35; concolor, a compass plant, 35; and Solidago, 211; tardiflorus, 200.
- Attraction spheres, 445.
- Auxanometer, 420; for measuring growth in thickness, 113.
- Avicennia officialis, 327.
- Azolla filiculoides, 87.

B

- Badhamia hyalina, 246.
- Bacteria, effect of formic aldehyde, 86; laboratory manual, 511; literature of, 425.
- Bacterium Zopfii, 344.
- Baptisia, australis, 42; a hybrid, 42; leucophœa, 42.
- Begonia rubra-grandiflora, 298.
- Betulaceae, embryology of, 427.
- Blaschka glass models, 144.
- Botanical Congress, Madison, 386, 423.
- Botanical Society of America, 388.
- Botanischer Jahresbericht, 248, 250.
- Botany, departments of, 345.
- Botrychium, matricariaefolium, 391; *ternatum*, 391.
- Brachythecium, reflexum, var. **Demetrii**, 239; salebrosum, var. **Waghornei**, 238; **suberythrorrhizon**, 238.
- Brown University, dept. of Botany, 253.
- Bruguiera, caryophyllodes, 328; eriopetala, 328; gymnorhiza, 327.
- Bryotheca Brasiliensis, 513.
- Bryum bimum, var. **atrotheca**, 238.
- Bulb, development in Erythronium, 61.
- Butea frondosa, 499.

C

- Cabralea, **insignis**, 1; pallescens, 2.
- Cactaceae, affinities among, 371; leaf-like, 473; morphology of, 511; revision of, 300.
- Caesalpinia, bonducella, 501; pulcherrima, 501.
- Calcium oxalate, role of, 427.

Calochortus, macrocarpus, 336; **pavonaceus**, 335.
 Canavalia ensiformis, 502.
 Carbohydrates, origin of, 169.
 Card index, 345.
 Carex Peckii, 514.
 Caryophyllaceæ, 343.
 Cassia, fistula, 501; of North America, 301; tora, 501.
 Cedrela **impairi-pinnata**, 4.
 Cell, literature of, 344.
 Centrosomes, 445.
 Centrospheres, 425, 445.
 Ceratium myxa, mucida, 377; plumosa, 376; swarm spores of, 375.
 Ceratium hydnoides, 377.
 Cercis canadensis, leaf movement in, 215.
 Chalaria paradoxa, 378.
 Charts, the Dodel-Port, 128.
 Cheilanthes, *alabamensis*, 395; farinosa, 395; microphylla, 395; speciosissima, 392.
 Chlorella protothecoides, 514.
 Chlorothecium saccharophilum, 514.
 Chromatophores, in seeds, 407.
 Chromomonas Nordstedtii, 100.
 Chrysomyxa, **Arctostaphyli**, 303; **Chlogenis**, 303; **Gossypii**, 187; Ledi, 303; Pyrolæ, 303; Rhododendri, 303.
 Chrysopsis villosa, 158.
 Classification, chart of larger groups, 85; phanerogamic families, 372.
 Clathrus columnatus, 37.
 Clematis, Pitcheri, 105; virginiana, 103.
 Climate, relation to plants, 413.
 Color bodies, in seeds, 407.
 Color description of flowers, 15.
 Compass plants, 35, 158, 251.
 Completoria complens, 467.
 Composite, as compass plants, 35.
 Coniferae, wood of, 514.
 Cordyceps militaris, 135.
 Cork, 193.
 Cornuella Lemnæ, 187.
 Cribbraria, minutissima, 397; purpurea, 91.
 Cryptoglena **americana**, 101.
 Cryptomonas, cyana, 100; marina, 100; ovata, 100; polymorpha, 100.
 Cunila mariana, as frost plant, 41.
 Cuphea **Heydei**, 256.
 Cuscuta, haustoria of, 46, 124, 331.
 Cyanophyceæ, a new motile cell, 96.
 Cycas revoluta, 25.
 Cyperus rotundus, 472.
 Cystosiphon pythioides, 376.

D

De-doublement, Arisaema, 464; Podophyllum, 465; Trillium, 460; Ulmus, 462.
 Desmidiæ, 167, 513.
 Desmodium triflorum, 502.
 Diachaea leucopoda, 246.
 Dicksonia rubiginosa, 392.
 Dicranella **leptotrachoides**, 237.
 Dioscorea **dicranandra**, 13.
 Diseases, apples, 84; beets, 168, 379; Bordeaux mixture, 512; Cosmos blight, 513; spraying with fungicides, 420; tomatoes, 84; violets, 84; watermelon, 373.
 Distribution of seeds by birds, 159.
 Doassansia, deformans, 185; **Gossypii**, 187; **intermedia**, 185; martianofiana, 185; occulta, 185; opaca, 185; punctiformis, 186; **ranunculina**, 416.
 Dolichos sinensis, 292.

Dracaena marginata, role of pericycle, 67.
 Drugs, source of native, 47.
 Dryopteris, *cristata* \times *marginalis*, 497; *marginalis*, 200; *simulata*, 497.

E

Economic botany, 160.
 Embryo, nourishment of, 327.
 Encalypta, ciliata, 379; longipes, 379; Macounii, 379.
 Endosperm in mangroves, 327.
 Entandrophragma, 514.
 Enteridium Rozeanum, germination of, 92.
 Entyloma, compositarum, 187; crastophilum, 187; Nymphææ, 189.
 Epiphegus virginiana, 214.
 Equisetum in carboniferous, 71.
 Erythrina, 499.
 Erythronium, development of bulb, 61.
 Ethereal oils in plants, 168.
 Euastrum pinnatifidum, 58.
 Eudorina elegans, 281.
 Eurhynchium Sullivantii, var. **Holzingeri**, 239.
 Eustichia norvegica, fruiting, 384.
 Euxo/us, **emarginatus**, 320; **viridis**, 319.
 Evolution, in angiosperms, 372; of Hepaticæ, 347; of plant life, 417; struggle for existence, 380; variability, 380.
 Exsiccatae, Algæ, 472; Uredinæ, 46.

F

Ferments, in Aspergillus, 210; diastatic, 473; vegetable, 68.
 Ferns of New England, 492.
 Fertilization of petunias, 336.
 Fibro-vascular bundle, 191.
 Fissidens, exiguus, 238; **falcatus**, 237.
 Flemingia strobilifera, 500.
 Floras, Africa, 167, 425; China, 513; Florida, 37, 424; Georgia, 33; Greenland, 78; Guatemala, 1, 255; Idaho, 117; Illinois, 415; India, 86; Lake St. Clair, 342; Lower California, 212; Mexican, 39, 386, 389; Minnesota, 86; Mt. Desert, 385; Nebraska, 84, 469; New York, 300; Portugal, 209; Texas, 210; Vermont, 200; Wisconsin, 79.
 Fluckigeria, 375.
 Forestry, report on, 515.
 Frasera, **caerulea**, 118; **montana**, 119.
 Frost plants, 40, 120, 321.
 Fuligo septica, 246.
 Fungi, entomogenous, 129; of Florida, 37; new genus of mucedinous, 244; sexual reproduction of, 127; of Wisconsin, 415.
 Fusarium nivium, 374.

G

Garden, Buitenzorg, 74, 421.
 Gases, movement in rhizomes, 369.
 Gaura parviflora, 158.
 Gillia grandiflora, 119, var. **diffusa**, 120.
 Gloiofrichia echinulata, 425.
 Grafting, herbaceous, 473.
 Grindelia squarrosa, 415.
 Guarea, **Luxii**, 2; **Palmeri**, 39.
 Guatemalan plants, 1, 255.
 Guttiferæ, Vesque's revision, 164.
 Gymnogramme, Calomelanos, 392; chaerophylla, 266; Ehrenbergiana, var. **muralis**, 392; **peruviana**, 392; schizophylla, 266; **sciatraxis**, 266; trifoliata, 392.

H

- Haustoria, of phanerogamic parasites, 46, 124, 331.
 Heat, radiation and absorption by leaves, 85.
 Heisteria, **costaricensis**, 255; *salicifolia*, 255.
 Helianthemum, 302.
 Hemiacrycia rubiformis, 246.
 Hepatica triloba, abnormal, 338.
 Hepaticæ, evolution of, 347; new fossil genus, 513; notes on, 273.
 Herbarium, Donnell Smith, 124; oven for drying, 166; Parry, 83; Univ. of Minn., 426; U. S. Nat., 121, 424.
 Heteranthera, graminea, 179; limosa, 179; reniformis, 179.
 Honey dew, 253.
 Hordeum jubatum, 516.
 Horticulture, World's Soc., 48.
 Host plants, Arctostaphylos Uva-Ursi, 303; Aspidium falcatum (prothallium), 468; Aster Novi-Belgii, 187; Atriplex sp., 306; Calacia reniformis, 415; Caltha biflora, 304; C. leptosepala, 304; C. palustris, 304; Carex vulpinoidea, 304; Chiogenes serpyllifolia, 303; Chrysopsis villosa, 305; Elymus sp., 305; Lythrum hyssopifolium, 186; Muhlenbergia sylvatica, 415; Nuphar advena, 188; Nymphaea odorata, 188; Panicum Crusgalli, 189; Phlox divaricata, 306; Populus tremuloides, 380; Potamogeton Claytonii, 185; Potentilla gelida, 305; Pteris argyria (prothallium), 468; P. cretica (prothallium), 468; Ranunculus multifidus, 416; Rubus saxatilis, 167; Sagittaria variabilis, 185, 186; Stellaria media, 296; Zizania aquatica, 188.
 Hybrids, Baptisia, 42; ferns, 492; walnuts, 513.
 Hydnangium Ravenelii, 37.
 Hypericum, angulosum, 35; cistifolium and insects, 109.
 Hypnum, 421; giganteum, var. **labradorensis**, 240.

I

- Index, card, 345.
 Indiana Acad. Sci., 47, 249, 470.
 Insectivorous plants, 213.
 Insects, and flowers, 103, 128; and oak galls, 510.
 Iowa Acad. Sci., 84.
 Ipomoea fistulosa, var. **nicaraguensis**, 256.
 Isaria farinosa, culture of, 129.
 Isopyrum biternatum and insects, 103.

J

- Journals and serial publications: Agric. Sci., 46; Am. Jour. Sci., 85; Am. Micr. Jour., 210; Amer. Nat., 85, 168, 169, 212, 424, 472; Annals Bot., 46, 68, 124, 213, 331, 476; Annal. Jard. Bot. Buiten., 327; Ann. Scottish Nat. Hist., 254, 513; Archiv. f. Hyg., 344; Ber. d. deut. bot. Gesell., 213, 253, 421, 427; Bol. Soc. Brot., 209; Bot. Central., 344; Bot. Notiser, 209; Bull. Exper. Sta., (Ala.) 88, 427, (Ariz.) 427, (Coldo.) 516, (Conn.) 213, 344, (Fla.) 88, 516, (Ill.) 516, (Ind.) 516, (Iowa) 516, (Kan.) 88, 346, (Mass.) 88, 346, (Me.) 516, (Minn.) 213, 426, (N. C.) 516, (N. D.) 213, (Neb.) 82, 88, (Nev.) 88, 426, (N. J.) 82, 88, 420, (N. Y.) 88, 346, 427, 516, (R. I.) 213, (Vt.) 82, 213, (Wash.) 88, (Wis.) 88, 127, 346, 516, (W. Va.) 83, (Wyoming)

- 88, 516; Bull. l'Herb. Boiss., 167, 173, 301, 425, 514; Bull. Me. State Coll., 80; Bull. Bot. Soc. France, 67; Bull. Torr. Bot. Club, 83, 168, 211, 301, 423, 426, 513, 514, 515; Bull. Univ. Iowa, 79; Bull. Univ. Minn., 210; Bull. U. S. Depart. Agric., 344, 420, 421, 512; Bull. U. S. Geol. Surv., 209, 419; Centr. f. Bak. u. Par., 345; Compt. Rend., 66, 71, 253, 284; Contrib. U. S. Nat. Herb., 80; Erythraea, 167, 211, 301, 423, 424; Flora, 301, 471; Forschungs-Ber. etc., 211; Forst. Natur. Zeit., 409, 424, 472; Gard. and Forest, 212, 301, 388, 423, 513; Grevillea, 423; Harp. Month., 128; Hedwigia, 82, 514; Jahrb. f. wiss. Bot., 473; J. H. U. Studies, 47; Jour. Bot., 84, 167, 168, 301, 425, 513; Jour. de Bot., 167, 209, 425, 513; Jour. Cin. Soc. Nat. Hist., 125, 167; Jour. Geol. 386; Jour. Linn. Soc., 83, 513; Jour. Mycol. 512; Jour. Roy. Hort. Soc., 125; Kew Bull., 86, 128, 301, 515; Le Botaniste, 127, 388; Lilly's Bull., 47; Meehan's Month., 301, 346; Mem. Bost. Soc. Nat. Hist., 471; Micr. Bull., 209; Minn. Bot. Studies, 86, 212, 252, 420; Pop. Sci. News, 344; Proc. Amer. Acad., 343; Proc. Amer. Micr. Soc., 214; Proc. Ass. Am. Agric. Coll. 46, 423; Proc. Camb. Phil. Soc., 84; Proc. Ohio Hort. Soc., 345; Proc. Philad. Acad., 78; Proc. Wash. Biol. Soc., 78; Rep. Div. Forestry, 515; Rep. Mo. Bot. Gard., 78, 342; Rep. N. Y. State Bot., 78, 514; Rev. Bryol., 423; Rev. gen. Bot., 473; Rev. Mycol., 424; Science, 209, 210, 211; Trans. Con. Acad., 125; Trans. Iowa Hort. Soc., 127; Trans. Linn. Soc., 299; Trans. S. Afr. Phil. Soc., 413; Trans. St. Louis Acad., 78; Trans. Wis. Acad., 79, 419; Zeit. f. Pflanz., 472; Zoc, 209, 212.
 Juncus marginatus, its varieties, 78.
 Juncodes, synonymy of, 208.
 Jungermanniales, 355.

L

- Laboulbeniaceæ, 125.
 Lactuca, sativa, 380; scariola, 36, 158, 380.
 Lastrea, *cristata* × *marginalis*, 497; *simulata*, 497.
 Lathyrus, 514; **pauciflorus**, 335.
 Leaves, causes of arrangement, 473; developed in sun, 45.
 Lechea, 302.
 Leguminosæ, pulvini of, 482; of Siam, 498.
 Leitneria floridana, 342.
 Lemna Valdiviana, 468, 507.
 Liatris, graminifolia, 35; scariosa, 35.
 Linum virginianum, 36.
 Liriodendron, fossil, 515.
 Liriophyllum, fossil, 515.
 Logan, James, sketch of work, 307.
 Lophopappus, 375.
 Lophophora, 371.
 Lophotocarpus, 343.
 Lupinus, angustifolius, 292; luteus, 292.
 Lycoperdon, acuminatum, 37; **leprosum**, 37.

M

- Maclura aurantiaca, poisonous, 200.
 Maize, 44; varieties of, 426.
 Mamillaria, 371.
 Maples, of Michigan, 370; winter condition and synonymy, 78.
 Marchantia as a type, 387.
 Marchantiales, 353.
 Mechanical resistance, influence of, 149, 191, 229.

Mechanics of growing plants, 71.
 Melandryum, 84.
 Meliaceæ, 514.
 Mellilotus alba, motor organs of, 483.
Mengea californica, 318.
 Metanema, 19.
 Metzgeriaceæ, 361.
 Mexican plants, 39, 386, 389.
 Micrasterias, foliacea, 56; furcata, 58; oscitans, 58; pinnatifida, 58; pseudofurcata, 60.
 Milletia, 502.
 Mimosa pudica, 502.
 Monocotyledons, function of secondary tissues, 66.
 Morong, Dr. Thomas, sketch of, 225.
 Mosses, a hybrid, 379; new species of, 237.
 Mounting microscopic preparations, 45.
 Myriophyllum scabratum, 200.
Myrrhidendron Donnell-Smithii, 466.
 Myxomycetes, 397; of central N. Y., 89; germination of, 245.

N

Naegelia, observations on, 49.
Naegeliella Reinschii, 54.
 Names, popular American, 429.
 Necrology: Bentley, R., 82; Boehm, Dr. Jos., 45; Hasskarl, J. K., 127; Lockwood, Samuel, 82; Morong, Dr. Thomas, 209, 225; Spruce, Dr. Richard, 82, 168; Traube, Dr. Moritz, 474; Weiss, Dr. G. A., 253.
 Nectandra **Heydeana**, 262.
 Negundo aceroides, 253.
 Neogoezia, new genus of Umbelliferae, 515.
Neoprodictum cristatum × *marginale*, 497; *stimulatum*, 497; *tetragonum*, 390.
 Neptunia oleracea, 501.
 Nitrogen, fixation of free, 284, 426.
 Nomenclature, 126, 170, 493; of plant diseases, 366.
 Nostoc commune, 30.
 Notholaena Grayi, 393.
 Nucleolus, 421.
 Number of plants, 169.
 Nymphaeaceæ, forms of leaves, 127.

O

Oaks as weeds, 33.
 Oenothera **idaheensis**, 117.
 Ohio Acad. Sci., 344.
 Oils, essential, 418; ethereal, 168.
Olpitrichum carpopodium, 244.
 Onoclea, fertile and sterile leaves, 374.
 Oospora scabies, 168.
 Ophioglossum, crotolophoroides, 393; reticulatum, 393; vulgatum, 393.
 Oreopanax **Taubertianum**, 4.
 Osmunda regalis, 393.
 Ostrya, a new, 212.
 Oxalis, 514; corniculata, pulvinus of, 222, 482.

P

Palmettoes, fossil in Fla., 37.
 Parasitism of Epiphegus, 214.
 Parenchyma, fundamental, 154.
 Parkia Koxburghii, 502.
 Pedilanthus **macradeniis**, 263.
 Petlostigma, **pentaphyllum**, 1; pteleoides, 1.
 Peperomia, **cobana**, 260; **guatemalensis**, 10; **Heydel**, 9; **Luxii**, 260; **macrophylla**, 8; **santefelpensis**, 9; **santa-rosana**, 10; **sisiana**, 9; **violaeifolia**, 8.

Pepper, black, cultivation of, 423.
 Peronospora, **phlogina**, 306.
 Personals: Agardh, 83; Atkinson, 45; Avetta, 302; Bailey, 513; Baldini, 302; Bebb, 127; Bonnier, 127; Brandegee, 209; Campbell, 209, 513; Carleton, 167; Cesati, 302; Cook, 45; Coulter, 424; Curtiss, 424; Delpino, 302; Donnell-Smith, 82; Fernald, 253; Forbes, 302; Franceschi, 46; Giessler, 302; Greene, 424; Hicks, 82; Hopkins, 83; Kearney, 344; Klein, 302; Krueger, 302; Kuntze, 127; Lovisato, 302; Macoun, 253; Mattiolo, 302; Molisch, 472; Morong, 127; Newcombe, 82; Orcutt, 127; Otto, 302; Palmer, 472; Saproshnikoff, 302; Sarauw, 302; Schneider, 513; Scott, 302; Scribner, 214, 388; Sorauer, 127; Spalding, 82; Willis, 83, 302; Woods, 82; Zacharias, 302; Zimmermann, 423.
 Petunia, cross-fertilization of, 336.
 Phaseolus vulgaris, rhizobia of, 29.
 Phoebe **amplifolia**, 261.
 Photoelectric movements, 477, 480.
 Phragmidium **biloculare**, 305.
 Phragmites, communis, 505; phragmites, 505.
 Physcomitrum turbinatum, 379, var. **crassipes**, 238.
 Physiology, absorption of water, 136; action at a distance, 406; adaptation to climate, 413; age of tubers, 473; American apparatus, 339; auxanometer, 420, for thickness, 113; Bacterium Zophii, 344; calcium oxalate, role of, 427; Darwin's manual, 509; in Depart. Agric., 424; diastatic enzymes, 473; electroculture, 88; gases in rhizomes, 369; geotropism of roots, 475; germinating seeds, 333; growth influenced by traction, 293; haustoria of Cuscuta, 331; leaf arrangement, causes of, 473; leaf movement in Cercis, 215; mechanical resistance, influence of, 149, 191, 229; motor organs, 478; nitrogen, fixation of free, 284; nourishment of embryo in mangroves, 327; Oel's manual (translation), 301; plea for research, 85; pulvini and photoelectric movements, 477; registering balance, 420; roots penetrating tissues, 475; work of James Logan, 307.
 Pilea, **irrorata**, 11; **pansamalana**, 10; **pleuro-neura**, 12; **quichensis**, 12; **riparia**, 11; **sen-arifolia**, 12.
 Pines, screw, of Africa, 513.
 Pinus, apachea, 301; australis, 33; Donnell-Smithii, 13; Lumholtzii, 386; mitis, 33; rigida, primary foliage of, 378; Taeda, 33; wood of, 409.
 Piper, **Donnell-Smithii**, 259; **flavidum**, 258; **Heydel**, 7; **Luxii**, 5; **Santa-rosanum**, 258; tuberculatum, 8; **Tuerckheimii**, 258; **us-pantanense**, 6; **variabile**, 259; **yzabalenum**, 7.
 Pitcairnia **puberula**, 264.
 Plantago patagonica, 516.
Plecosorus mexicana, 392.
Pleodorina californica, 282; in Illinois, 383; in Indiana, 383.
 Pluchea as frost plants, 120.
 Podophyllum peltatum, 465.
 Poinciana regia, 500.
 Poisonous plants, 159, 200.
 Polycystis pallida, 96.
 Polygala verticillata, 482.
 Polypodium, angustifolium 393; **ensifolium**, 393; heteromorphum, 393; lepidopteris, 393; Martensii, 394; pectinatum, 394; **petiolatum**, 394; Phyllitidis, 394; pilosissimum, 394; Plumula, 394; **variabile**, 393; vulgare, 394.
 Pontederiaceæ, histology of, 178.

Pontederia, cordata, 179; crassipes, 178.
 Preissites, 513.
 Preparations, of algæ, 210; formic aldehyde in, 86; large and thick sections, 48; mounting microscopic, 45.
 Prizes, Belgian Academy, 472.
 Protococcus infusionum, development of, 334.
 Protonema, 19.
 Protoplasm, continuity in fungi and algæ, 47; energy of living, 302.
 Prototheca, 514.
 Prunus Watsoni, 210.
 Psoralea, 211.
 Pteridophytes, relationships among, 87.
 Pterocarpus, indicus, 498; macrocarpus, 498.
 Puccinia, **areolata**, 304; Calthæ, 304; Chloridis, 305; dispersa, 472; graminis, 346; **hyalomitra**, 304; malvacearum, 468; Peckiana, 167; rubigo-vera, 346; Treleasiana, 304; **vulpinoidis**, 304; Zoppi, 304.
 Pulvini, comparative histology of, 477.
 Pylaisia polyantha, var. **coloradensis**, 238.
 Pythium, Cystosiphon, 376; DeBaryanum, 376; entophyllum, 376; *Equiseti*, 376; proliferum, 375; reptans, 375; swarm spores of, 375.

Q

Quercus, Catesbaei, 34; Leana, 171; nigra, 34; wood of, 411.

R

Radishes, growth of in relation to seed, 369.
 Rafinesque, proposed life of, 474.
 Ranunculus, abortivus and insects, 108; acris as poisonous, 159, 472; fascicularis and insects, 107; septentrionalis and insects, 105.
 Resins in plants, 168.
 Reticularia umbrina, germination of, 245.
 Reviews: Adler's "Alternation of generations," 510; Atkinson's "Biology of ferns," 165; Bailey's "Botanical note-book," 470; Benson's "Embryology of Amentifera," 299; Bower's "Practical botany," 386; Boyer's "Laboratory manual," 203; Cobb's "Australian fungi," 166; Coulter's "Cactaceæ," 300; "Texan botany," 343; Coville's "Botany of Death Valley," 76; Crombie's "British lichens," 300; Darwin's "Practical physiology," 509; De Coudemoy's "Functions of secondary tissues," 66; "Role of the pericycle," 67; Del Castillo's "French Polynesia," 77; Dennis' "Syllabus," 166; Dodge's "Laboratory guide to biology," 204; Ganong's "Cactaceæ," 511; (Mrs.) Gray's Letters of Asa Gray," 122; Green's "Vegetable ferments," Greene's "Californian manual," 162; Harshberger's "Maize," 44; Hitchcock's "Manhattan plants," 470; Kjaerskou's "Myrtles of Brazil," 44; Massee's "Evolution of plant life," 417; Novy's "Laboratory manual of bacteriology," 511; Oel's "Plant physiology" (MacDougal transl.), 341; Pfeffer's "Mechanics of growing plants," 71; Potter's "Agricultural botany," 205; Power's "Essential oils," 418; Raceborski's "Cabombeæ and Nymphaeaceæ," 470; Rand and Redfield's "Flora of Mt. Desert," 385; Robinson's "Contributions," 243; Sprengel's "Mystery of nature," 207; Trelease's "Gayophytum and Boisduvalia," 166; Univ. of Nebraska's "State flora," 469; Vesque's "Revision of Guttiferæ," 164; Vines' "Text-book," 202;

Westermaier's "General botany," 419; Woods Holl "Biological lectures," 249; Zimmermann's "Microscopical methods" (Humphrey transl.), 43.
Rhamphospora Nymphaeæ, 188.
 Rhinotrichum, macrosporum, 245; tenellum, 245.
 Rhipidium interruptum, 49.
 Rhizobia, 28.
 Rhizophidium globosum, swarm spores of, 503.
 Rhizophora, conjugata, 328; Mangle, 327; mucronata, 328.
 Rhizopogon rubescens, 37.
 Rhus glabra and insects, 111.
 Riccia, 273; **aggregata**, 275; albida, 274; arvensis, 274; **Brandegei**, 275; californica, 274; Catalinae, 275; ciliata, 277; crystallina, 273, 275; Donnellii, 277; Frostii, 273, var. **major**, 273; glauca, 277; hirta, 274; Huebeneriana, 276; lamellosa, 274; Lescuriana, 277; lutescens, 276; minima, 277; nigrella, 277; tenuis, 276; tumida, 277; *Watsoni*, 273.
 Rice, wild, 504.
 Richardia africana, 241.
 Roots, geotropic sensitiveness, 475; penetrating living tissues, 475.
 Rosa Nutkana, var. **hispida**, 335.
 Rose, a curious, 37.

S

Saccharomyces, 168.
 Sagittaria, 342.
 Salix, some large plants, 424.
 Salsola Kali, 82, 300, 415, 506.
 Salvia **Shannonii**, 256.
 Sapromyces, *dubius*, 54; Reinschii, 54.
 Saprophytes, preserving, 45.
 Saraca cauliflora, 501.
Sarratia Berlandieri, 268.
 Schizosaccharomyces octosporus, 345.
 Scirpus lacustris, 506.
 Scouleria, 378.
 Scutellaria **Footiana**, 118.
 Secondary schools, botany in, 211.
 Seeds, color bodies in, 407; germination in sawdust, 333; number in relation to various phenomena, 45.
 Seminar, botanical of Washington, 169.
 Sericocarpus tortifolius, 35.
 Sesbania grandiflora, 499.
 Sex in plants, 307.
 Siam, Leguminosæ of, 498.
 Sicyos angulatus, poisonous, 200.
 Silene, generic, subdivisions, 84.
 Silphium laciniatum, 36.
 Slides, ruled, 416, 507.
 Smilacæ, 515.
 Smith College, botany at, 474.
 Solanum triflorum, 415.
 Solidago, and Aster, 211; tortifolia, 35.
 Sphaeroplea annulata, 246.
 Sphagnum, microspores of, 167.
 Stipules, origin of, 515.
 Strasburger, a sketch, 401.
 Strawberry, origin of cultivated, 212.
 Strobilus in archegoniates, 476.
 Sugars, quantitative determination of, 45.
 Summer schools, Harvard Univ., 209; N. H. Coll. of Agric., 212; Stanford Univ., 213; Woods Holl, 254.
 Swarm spores of Rhizophidium, 503.
 Symbiosis of algæ and bacteria with Cycas, 25.
 Synchronism on Stellaria, 296.
 Systematic Botany of N. Am., 201.

T

- Taphrina*, aurea, 380; *Johansonii*, 380; parasitic on *Populus*, 380; rhizophora, 380.
 Teratology, *Hepatica triloba*, 338; peculiar ovary, 298; *Trillium cernuum*, 337.
Terebinthaceæ, structure of, 427.
Tetraplodon mnioides, 200.
Thamnum Holzingeri, 239.
Tilletia Elymi, 305.
Timmia austriaca, var. *brevifolia*, 238.
Tolyposporium bullatum, 189; *Davidsonii*, 305.
Torreya, as a generic name, 379.
 Torsion of leaves, 251.
 Trees, growth of, 379; large, 378; meaning of life of, 422.
Trichia, erecta, 91; fallax, 89.
Trichilia, *colimana*, 40; *Donnell-Smithii*, 2; *Heydeana*, 3; *Palmeri*, 39.
Trichomanes, filicula, 395; pyxidiferum, 394; radicans, 395.
Trifolium, pratense, 293; repens, 293, rhizobia of, 28.
Trillium, cernuum, 337; sessile, 460.
Triplaris Macombii, 257.
 Tubercles of *Leguminosæ*, 290.

U

- Ulmus*, 462.
Umbelliferae, a new genus, 466, 515.
Uredineæ, 303; formation of sporidiola, 81.
Uromyces minimus, 415.
Ustilagineæ, 185, 303; systematic position of, 128.

- Ustilago sphaerogena*, 189.
Utricularia vulgaris, animal food of, 254.
Uvaria crinita, 500.

V

- Vacuole, special membrane of, 46.
 Variability, relation of age to, 380.
Verbascum nigrum, 415.
Vicia sativa, 292.
Viscum album, haustoria of, 46.
 Vivipary in mangroves, 327.
Volvocineæ, a new genus, 279.

W

- Walnuts, hybrid, 513.
 Ware collection of models, 144.
 Willows, flora of pollard, 84.
 Wood, of *Coniferae*, 514; insect attacks, 380; pine and oak, 409.
Woodsia mollis, 395.
Woodwardia virginica, 200.

X

- Xanthoxylum americanum* and insects, 109.
Xylia, 502.

Y

- Yeast, cultures of, 424; a new, 345.

Z

- Zizania aquatica*, 504.

INDEX TO AUTHORS

Atkinson, Geo. F., 40, 129, 244, 467, 503.

Bay, J. Christian, 68, 168, 211, 213, 251, 253, 254,
301, 302, 321, 406, 473, 474.

Beal, W. J., 416, 468, 507.

Bergen, Fannie D., 429.

Blodgett, Frederick H., 61.

Bray, Wm. L. (& Uline), 268, 313.

Cardot, J. (& Renauld), 237.

Carleton, M. A., 81.

Cheney, L. S., 384, 409.

Clendenin, Ida, 296.

Clinton, G. P., 383, 415.

Coues, Elliott, 504.

Coulter, John M. (& Rose), 466.

Coville, F. V., 121, 208, 504.

Culbertson, Glenn, 499.

Davenport, Geo. E., 389, 493.

Davis, Bradley M., 96.

Davis, J. J., 415.

Deane, Walter, 144, 225, 338, 507.

De Candolle, Casimir, 39.

Dietel, P., 302.

Durand, Élias J., 89.

Fernald, Merritt L., 335.

Foerste, August F., 33, 460.

Ganong, W. F., 136.

Golden, Katherine E., 113.

Grout, A. J., 200.

Halsted, Byron D., 290.

Harper, R. A., 46.

Harshberger, John W., 159, 307.

Heald, F. D., 293, 477.

Hicks, G. H., 327, 407.

Hill, E. J., 171, 507.

Hitchcock, A. S., 42.

Holm, Theo., 66, 67, 413.

Humphrey, James Ellis, 401.

ohnson, L. N., 56.

Kennedy, George G., 468.

Koehne, E., 350.

Kuntze, Otto, 126.

MacDougal, D. T., 47, 71, 120, 332.

MacMillan, Conway, 19, 246, 252.

Meehan, Thomas, 158.

Mottier, D. M., 383.

Mulford, A. Isabel, 117.

McClatchie, A. J., 245.

Newcombe, Frederick C., 149, 191, 229.

Olive, Edgar W., 178.

Owen, Maria L., 337.

Pillsbury, J. H., 15.

Pound, Roscoe, 422.

Redfield, John H., 387.

Reed, Minnie, 298, 336.

Renauld, F. (& J. Cardot), 237.

Rex, Geo. A., 397.

Robertson, Charles, 103.

Rose, J. N. (& Coulter), 466.

Russell, H. L., 284.

Schaffner, John H., 445.

Schneider, Albert, 25.

Setchell, William Albert, 185.

Shaw, Walter R., 279.

Smith, John Donnell, 1, 255.

Stone, G. E., 333.

Thaxter, Roland, 49.

Tilden, Josephine E., 334.

Uline, Edwin B. (& Bray), 268, 313.

Underwood, L. M., 273, 347.

Walker, Ernest, 241.

White, David, 71.

Wright, S. G., 215.